



AF \$
OFGS File No.: P/1071-1201

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Kenji MATSUO et al.

Serial No.: 09/699,670

Date: June 2, 2003

Filed: October 30, 2000

Group Art Unit: 2834

For: ULTRASONIC VIBRATION APPARATUS USE AS A SENSOR HAVING A
PIEZOELECTRIC ELEMENT MOUNTED IN A CYLINDRICAL CASING AND
GROOVES FILLED WITH FLEXIBLE FILLER

Commissioner for Patent
P.O. Box 1450
Alexandria, VA 22313-1450

NOTICE OF APPEAL FROM THE PRIMARY EXAMINER
TO THE BOARD OF PATENT APPEALS AND INTERFERENCES

Sir:

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the decision dated December 3, 2002 of the Primary Examiner finally rejecting claims 8-11, 16-18, 22 and 23.

The Appeal Fee (\$320 - Non-Small Entity; \$160 - Small Entity) is

☒ Enclosed

☐ Not required (fee paid in prior appeal)

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. §1.136(a), to extend the time for filing a response by the number of months which will avoid abandonment under 37 C.F.R. §1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 15-0700. In the event that the actual Appeal Fee is greater than the payment submitted herewith or is not enclosed, the Patent Office is authorized to charge the underpayment to Deposit Account No. 15-0700.

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 2, 2003:

Louis C. Dujmich

Name of applicant, assignee or
Registered Representative

Signature
June 2, 2003

Date of Signature

LCD:cfm

Respectfully submitted,

Louis C. Dujmich

Registration No.: 30,625

OSTROLENK, FABER, GERB & SOFFEN, LLP

1180 Avenue of the Americas

New York, New York 10036-8403

Telephone: (212) 382-0700